



REVISIONS		3007-0011		
ZONE	REV	DESCRIPTION	DATE	APPROVED



Cube Dimensions:

1.000"H x 0.750"W x 0.750"L

Y



50G	GAIN = 153.0*	(1530/10)
100G	GAIN = 58.0*	(580/10)
200G	GAIN = 26.3*	(263/10)

* Requires Hardware gain change to reduce gain settings by a factor of 10. R37, R39, R41, R43 = 10K

Divide gain value displayed in Agile Link by 10 (20.8, 23.2, 26.3...)

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES.
 TOLERANCES (I/O)
 FRACTIONS: +/-1/64
 DECIMALS: .XX +/-01
 .XXX +/-005
 ANGLES: +/- 0.5 DEGREES
 SURFACE FINISH: 63 MICRONS

MicroStrain[®]
 310 Hurricane Lane, Suite 4
 Williston, VT 05495
 802-862-6629

TRIAxIAL ACCELEROMETER - X

DRAWN BY: Stephen Pendo	SIZE: A	CAGE CODE: 0XYZ9	DWG NO.: 3007-0011	REV: -
APPROVED BY:	SCALE: NONE	DATE: 2/3/06	SHEET: 1 OF 1	